



# Electrical Systems

## KEY PRODUCTS

			
<p><b>EPR KIT &amp; EPRA</b></p> <ul style="list-style-type: none"> <li>• Allows for quick and secure repair of damaged conduit with existing wire</li> <li>• Ideal for the repair of rigid PVC conduit in electrical, telecommunication, utility and CATV applications</li> <li>• EPR Adapter allows for duct repair</li> <li>• Special interlocking joints provide water-tight seal</li> </ul>	<p><b>SCEPTER JBOX</b></p> <ul style="list-style-type: none"> <li>• Hand close fasteners</li> <li>• No hardware required for installation</li> <li>• Contractor-friendly integrated gasket and built in gridlines</li> <li>• Certified for indoor and outdoor use</li> <li>• Available in 6x3x4"</li> </ul>	<p><b>JBOX W/ HINGED COVER</b></p> <ul style="list-style-type: none"> <li>• Hinged cover junction box with hand close fasteners and no metallic parts</li> <li>• Removable cover opens over 200 degrees</li> <li>• Available in 8" - 16" sizes</li> <li>• NEMA Rated 1, 2, 3R, 4, 4X, 12, 13</li> </ul>	<p><b>POLE MOUNT KIT</b></p> <ul style="list-style-type: none"> <li>• Galvanized or stainless-steel brackets and stainless steel straps</li> <li>• Adjustable to suit all JBX sizes</li> </ul> <p><b>JBOX BACK PANEL</b></p> <ul style="list-style-type: none"> <li>• Made of 14 gauge carbon steel with a white epoxy powder-coated finish</li> <li>• Easy to cut and drill to mount device</li> </ul>
			
<p><b>REPAIR COUPLING</b></p> <ul style="list-style-type: none"> <li>• Allows for quick and secure repair of damaged conduit without existing wire</li> <li>• Fully molded with smooth inner surface to slide over existing conduit</li> </ul>	<p><b>ONE PIECE EXPANSION JOINT (OPEJ)</b></p> <ul style="list-style-type: none"> <li>• Allows users to account for short distance thermal expansion and contraction</li> <li>• Efficient design provides fast trouble-free installation</li> </ul>	<p><b>JUNCTION BOX ADAPTER (JBA)</b></p> <ul style="list-style-type: none"> <li>• Ensures optimal water-tightness for Scepter PVC Conduit connections</li> <li>• Suitable for all PVC junction boxes (JB, JBX or JBXH)</li> </ul>	<p><b>CONDUIT CLAMP + BASE</b></p> <ul style="list-style-type: none"> <li>• Support the conduit away from the mounting surface</li> <li>• Interconnecting allows for uniform row installation</li> <li>• Double offset clip design prevents unwanted opening of clamp</li> </ul>

			
<p><b>SCEPTALIGHT LED 2.0</b></p> <ul style="list-style-type: none"> <li>• Certified for wet and hazardous location use</li> <li>• Up to 85% energy savings compared to incandescent, and up to 34% compared to fluorescents</li> <li>• Can operate for 50,000 hours without a single need for maintenance</li> <li>• UV resistant material ensures suitability for both indoor and outdoor use</li> </ul>	<p><b>INEXO BOXES</b></p> <ul style="list-style-type: none"> <li>• Suited for Insulated Concrete Form Buildings</li> <li>• Installation after concrete pour allows you to follow traditional production schedules</li> <li>• Fully CSA certified to UL standards for use in ICF and can resist pull forces exceeding 100 lbs – (twice the standard requirement)</li> </ul>	<p><b>SCEPTACON</b></p> <ul style="list-style-type: none"> <li>• Designed for trenchless applications linking seamlessly to existing PVC conduit infrastructure</li> <li>• Allows utilities to standardize on PVC throughout their entire electrical system</li> <li>• No cementing, lubrication or fusion required</li> <li>• UL651 and CSA C22.2 No.211.2</li> </ul>	<p><b>2-1/2" COR-LINE ENT &amp; KWIKON FTGS</b></p> <ul style="list-style-type: none"> <li>• Fire and impact resistant and available in 1/2" - 2-1/2" sizes</li> <li>• Patented locking tab design compatible with our extensive line of fittings for various configurations</li> <li>• Stub downs do not require drilled holes in plywood forms</li> <li>• Meets all UL and CSA requirements</li> </ul>

			
<p><b>METER OFFSET 2-1/2"</b></p> <ul style="list-style-type: none"> <li>• Offsets pipe to easily enable water-tight connections to junction and meter boxes</li> <li>• Accommodates aluminum wire bond and 200A services</li> <li>• Allows connection to meter hub without the use of a reducer</li> </ul>	<p><b>PULL ELBOW</b></p> <ul style="list-style-type: none"> <li>• Provides for easy wire pulling</li> <li>• Approved for wet location use</li> <li>• Molded 3/4" x 1/2" reducers included</li> </ul>	<p><b>KWIKON ENT TO AC90 ADAPTER</b></p> <ul style="list-style-type: none"> <li>• Easily connects AC90 wire to Cor-Line ENT for a secure connection</li> <li>• Patented locking tab design compatible with our extensive line of fittings for various configurations</li> <li>• Certified to UL 1653 / CSA C22.2 No. 227.1</li> </ul>	<p><b>SCEPTER APP</b></p> <ul style="list-style-type: none"> <li>• Expansion and contraction calculator</li> <li>• Support spacings calculator</li> <li>• Available on iOS App Store and Google Play Store</li> </ul>